

[54] **TEST SPECIMEN HOLDER**

[76] **Inventor: Donald G. Needham, Rte. 1, Box 300, Ramona, Okla. 74061**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 75,861**

[22] **Filed: Jul. 20, 1987**

[52] **U.S. Cl. .... D24/32**

[58] **Field of Search ..... D26/24; D24/29, 31, D24/32; 422/58, 61, 60, 64, 72, 102; 436/45, 46**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 244,561	5/1977	Dacal .....	D26/24
D. 265,934	8/1982	Ellersick .....	D26/24 X
D. 280,025	8/1985	Waters .....	D26/24
D. 285,486	9/1986	Marinkovich et al. ....	D24/31 X
3,509,872	5/1970	Truhan .....	422/58 X
4,241,188	12/1980	Materia et al. ....	422/102 X

4,248,904 2/1981 Fenimore ..... 422/58 X


*Primary Examiner*—Susan J. Lucas

[57] **CLAIM**

The ornamental design for a test specimen holder, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a test specimen holder showing my new design, the holder being in the assembled rolled condition for the testing process; FIG. 2 is a top plan view thereof, the holder being flat and unrolled for the ease of mounting the test specimens, the bottom view being identical; FIG. 3 is an enlarged end elevational view of the clip which maintains the holder in the rolled condition; FIG. 4 is an end elevational view of the holder as shown in FIG. 1; FIG. 5 is a side elevational view of the holder as shown in FIG. 1.






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5