United States Patent [19] Fukushima

- **TEMPERATURE AND HUMIDITY** [54] **MEASURING DEVICE**
- Kinpei Fukushima, Tokyo, Japan [75] Inventor:
- [73] Yamato Scientific Co., Ltd., Tokyo, Assignee: Japan
- [**] **14 Years** Term:
- Appl. No.: 845,351 [21]

Patent Number: Des. 300,727 [11] Date of Patent: ** Apr. 18, 1989 [45]

D. 264,190	5/1982	Müller	. D10/57
4,206,649	6/1980	Nagaie	374/170
4,416,553	11/1983	Huebscher	374/165
4,487,208	12/1984	Kammens	374/170
4,619,271	10/1986	Burger 3	74/170 X

Primary Examiner-Nelson C. Holtje Attorney, Agent, or Firm-Wolf, Greenfield & Sacks

[57] **CLAIM**

The ornamental design of a temperature and humidity

[22] Filed: Mar. 18, 1986

[30] **Foreign Application Priority Data**

Sep. 20, 1985 [JP] Japan 60-39289 D10/57

Field of Search D10/52, 53, 56, 57, [58] D10/60, 102, 103; 374/163-170, 179, 185, 208-209; 73/336, 336.5, 335

[56] **References** Cited **U.S. PATENT DOCUMENTS**

D. 245,586	8/1977	McGlynn	D10/57
D. 249,475	9/1978	Turner	D10/57
D. 250,882	1/1979	Johansen	D10/56
D. 255,335	6/1980	Joslin	D10/56

measuring device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a temperature and humidity measuring device showing my new design in the inoperative condition; FIG. 2 is a front elevational view thereof in the operative condition showing a typical digital display; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a cross-sectional view thereof as taken from line A—A of FIG. 1; FIG. 7 is a top plan view thereof; FIG. 8 is a bottom plan view thereof; FIG. 9 is a cross-sectional view thereof as taken from line B—B of FIG. 1.



· · · .

. . · · ·

.

.

.

. .

.

· · · ·

.

U.S. Patent



Apr. 18, 1989

.

Sheet 1 of 2



D300,727



FIG. 3 FIG. 2

FIG. 1

•

• .

.

.

•

U.S. Patent

Apr. 18, 1989

Sheet 2 of 2

D300,727





FIG. 6



FIG. 9 FIG. 7 FIG. 8

· ·

.

.

-