

**United States Patent** [19]  
**Martin**

[11] **Patent Number: Des. 300,806**  
[45] **Date of Patent: \*\* Apr. 25, 1989**

[54] **CLOCK**  
[76] **Inventor: Thomas E. Martin, 1842 Sylvania Ave., Toledo, Ohio 43613**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 186,968**  
[22] **Filed: Apr. 27, 1988**  
[52] **U.S. Cl. .... D10/6**  
[58] **Field of Search ..... D10/2, 6; D14/11; D16/22, 26, 38; 242/171.8, 77, 177 R, 118 R, 118.8; 352/124, 125; 368/10, 278, 285**

2,190,198 2/1940 Stechbart ..... 352/124  
2,358,504 9/1944 Goldberg ..... 242/71.8  
2,462,261 2/1949 Goldberg ..... 242/71.8  
2,468,767 5/1949 Lloyd .  
2,473,337 6/1949 Karr ..... 242/71.8  
3,937,567 2/1976 Thomas ..... 352/125 X

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Angelo Notaro


[57] **CLAIM**

The ornamental design for a clock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a clock showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a left side elevational view thereof, the right side view being a mirror image thereof;  
FIG. 4 is a rear elevational view thereof.

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**  
D. 131,400 2/1942 Goldberg .  
D. 138,559 8/1944 Goldberg .  
D. 295,262 4/1988 Angell ..... D10/6






FIG. 1






FIG. 2



**FIG. 3**



**FIG. 4**