

[54] **ROUGHNESS INDICATOR**

[75] **Inventor: Svend E. Fauerskov, Holte, Denmark**

[73] **Assignee: Bruel & Kjaer A/S, Naerum, Denmark**

[**] **Term: 14 Years**

[21] **Appl. No.: 867,689**

[22] **Filed: May 28, 1986**

[30] **Foreign Application Priority Data**

Nov. 29, 1985 [DK] Denmark 1033/1985

[52] **U.S. Cl. D10/46; D10/60; D10/102**

[58] **Field of Search D10/46, 57, 60, 75, D10/78, 80, 102, 103; 73/105**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 264,190	5/1982	Müller	D10/78
D. 264,444	5/1982	Muchenberger	D10/83 X
2,733,598	2/1956	Miner	73/105
3,029,522	4/1962	Stolle	73/105 X
4,776,212	10/1988	Parsons	73/105

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Cushman, Darby & Cushman

[57] **CLAIM**

The ornamental design for a roughness indicator, as shown.

DESCRIPTION

FIG. 1 is top and left front perspective view of a roughness indicator showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a bottom plan view thereof.




Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.

