

[54] **AUTOMOBILE TIRE**

[75] **Inventors: Yasuo Himuro, Tokyo; Toshihiro Sadohara, Saitama, both of Japan**

[73] **Assignee: Bridgestone Corporation, Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 932,993**

[22] **Filed: Nov. 19, 1986**

[52] **U.S. Cl. D12/147**

[58] **Field of Search D12/141-143, D12/146-151; 152/209 R, 209 D, 209 B**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 283,116 3/1986 Nakatani D12/147
- D. 292,080 9/1987 Hayakawa et al. D12/146

OTHER PUBLICATIONS

Tire Review, 4/86, p. 90, Dunlop G/T Qualifier, center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown;

FIG. 2 is an end elevational view thereof; and
FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

