

[54] PROTECTIVE SHROUD FOR AN ELECTRIC CABLE

[75] Inventors: James A. Bongard; Michael J. Delaney, both of Milwaukee; Eugene F. Duncan, Wauwatosa; Cheryl A. Fredricks, Milwaukee; John P. Groves, Milwaukee; Daniel J. Kalista, Milwaukee; Paul Klingseisen, Milwaukee; Joseph Lazzaro, Milwaukee; Gregory L. Nadolski, Brookfield, all of Wis.

[73] Assignee: Eaton Corporation, Cleveland, Ohio

[**] Term: 14 Years

[21] Appl. No.: 891,978

[22] Filed: Aug. 1, 1986

[52] U.S. Cl. D13/13; D8/354

[58] Field of Search D13/11, 12, 18-31, D13/40; D8/396; 439/445, 13; 174/153 R, 153 G, 87; 248/56

[56] References Cited

U.S. PATENT DOCUMENTS

1,847,147	3/1932	Thomas, Jr.	174/87
1,914,011	6/1933	Eccles	174/87
2,287,857	6/1942	Benfield	174/87
3,258,234	6/1966	Fernberg	248/56
3,464,659	9/1969	Klumpp, Jr. et al.	174/153 G
3,565,466	2/1971	Mullings	248/56
4,554,408	11/1985	Pullen	439/445

4,678,867 7/1987 Bongard et al. 439/445

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Clare E. Heflin
Attorney, Agent, or Firm—L. G. Vande Zande

[57] CLAIM

The ornamental design for a protective shroud for an electric cable, as shown and described.

DESCRIPTION

FIG. 1 is a side elevational view of a protective shroud for an electric cable showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a front elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a perspective view thereof; FIG. 7 is a side elevational view of a protective shroud for an electric cable showing an alternative embodiment of our new design; FIG. 8 is a rear elevational view thereof; FIG. 9 is a top plan view thereof; FIG. 10 is a front elevational view thereof; FIG. 11 is a bottom plan view thereof; FIG. 12 is a perspective view thereof taken from a first angle; and FIG. 13 is a perspective view thereof taken from a second angle. The broken line showing of an electrical component in FIGS. 1 and 7 is for illustrative purposes only and forms no part of the claimed design.





