

[54] BATTERY CHARGER FOR A PORTABLE RADIO TELEPHONE SET

D. 298,119 10/1988 Richards et al. D13/6
D. 298,230 10/1988 Lay D13/6

[75] Inventors: Minoru Hotsumi; Yasuhito Nagaki, both of Tokyo, Japan

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Ruth Takemoto
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak, and Seas

[73] Assignee: NEC Corporation, Tokyo, Japan

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 114,258

The ornamental design for a battery charger for a portable radio telephone set, as shown.

[22] Filed: Oct. 27, 1987

DESCRIPTION

[30] Foreign Application Priority Data

Apr. 28, 1987 [JP] Japan 62-17173

FIG. 1 is a front elevational view of a battery charger for a portable radio telephone set showing our new design;

[52] U.S. Cl. D13/5

FIG. 2 is a rear elevational view thereof;

[58] Field of Search D13/4-6, D13/11-12, 41; 320/2-5, 48, 61; D14/76, 99; 429/97-100

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

[56] References Cited

U.S. PATENT DOCUMENTS

D. 271,391 11/1983 Scheid D13/5

D. 277,662 2/1985 Huntington et al. D13/5

FIG. 6 is a front, top and right side perspective view thereof; and

FIG. 7 is a rear, top and left side perspective view thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6

FIG. 7

