

[54] AUTOMOBILE TIRE

[75] Inventor: Tetsushi Fujiki, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 906,772

[22] Filed: Sep. 12, 1986

[30] Foreign Application Priority Data

Mar. 12, 1986 [JP] Japan ..... 61-9154

[52] U.S. Cl. .... D12/148

[58] Field of Search ..... D12/136, 140, 146-151; 152/209 R, 209 D, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 269,174 5/1983 Ingley et al. .... D12/136
- D. 287,839 1/1987 Miyata ..... D12/146
- D. 291,875 9/1987 Hayakawa et al. .... D12/147

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 231, Dunlop KT376A (front) ATV Tire, bottom right side of page.

1984 Tread Design Guide, published by Bennett Garfield, p. 184, Semperit M&S steel M230 tire.

Primary Examiner—James M. Gandy

Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

CLAIM

[57] The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown;

FIG. 2 is a front elevational view thereof; and FIG. 3 is a side elevational view thereof.




FIG. 2




FIG. 1




FIG. 3

