## United States Patent [19]

### Lofgren

[11] Patent Number: Des. 301,599

[45] Date of Patent: \*\* Jun. 13, 1989

[54]	COMBINED SIGNAL TRANSMISSION
	DEVICE AND DETONATING CORD FOR
	BLASTING ASSEMBLY

[75] Inventor: Lars-Gunnar Lofgren, Gyttorp,

Sweden

[73] Assignee: Nitro Nobel AB, Gyttorp, Sweden

[\*] Notice: The portion of the term of this patent

subsequent to Jan. 26, 2002 has been

disclaimed.

\*\*] Term: 14 Years

[21] Appl. No.: 54,665

[22] Filed: May 27, 1987

#### Related U.S. Application Data

[62] Division of Ser. No. 655,332, Sep. 27, 1984, Pat. No.

Des. 293,928.

[30] Foreign Application Priority Data

# [56] References Cited U.S. PATENT DOCUMENTS

4,426,933	1/1984	Yunan	102/275.12 X
4,481,884	11/1984	Yunan	102/275.12 X
4,539,909	9/1985	Day et al.	102/275.12 X

Primary Examiner—A. Hugo Word

Attorney, Agent, or Firm—Frishauf, Holtz, Goodman & Woodward

[57] CLAIM

The ornamental design for a combined signal transmission device and detonating cord for blasting assembly, as shown and described.

#### DESCRIPTION


FIG. 1 is a side elevational view of a combined signal transmission device and detonating cord for blasting assembly with the side loop omitted showing my new design;


FIG. 2 is a front perspective view thereof;


FIG. 3 is a rear perspective view thereof;

FIG. 4 is a side elevational view thereof with the side loop; and,


FIG. 5 is a side elevational view thereof without the side loop.







Jun. 13, 1989



U.S. Patent

