

[54] AUTOMOBILE TIRE

[75] Inventor: Tetsushi Fujiki, Hyogo, Japan

[73] Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 908,525

[22] Filed: Sep. 17, 1986

[30] Foreign Application Priority Data

Jun. 6, 1986 [JP] Japan ..... 61-22031

[52] U.S. Cl. .... D12/149; D12/151

[58] Field of Search ..... D12/136, 146-151; 152/209 R, 209 D, 209 B

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 65,630 9/1924 Braender ..... D12/147
- D. 132,345 5/1942 Jezek et al. .... D12/147
- D. 284,750 7/1986 Kawabata et al. .... D12/147

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 231, Dunlop KT325 ATV Tire, second tire in from bottom right side of page.  
 1985 Tread Design Guide, p. 232, Dunlop KT465A ATV Tire, second tire in from top right side of page.  
 Tread Design Guide 1984, Republic Range Rider (P), W-TL-P, p. 138.

Primary Examiner—James M. Gandy  
 Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

CLAIM

[57] The ornamental design for an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing my new design it being understood that the tread design, is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof; and FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

