

[54] CABLE IDENTIFICATION SLEEVE

[76] Inventor: Isaac Sachs, 1240 Ridgewood Dr.,
Chomedey, Laval Que., Canada,
H7W 1L3

[**] Term: 14 Years

[21] Appl. No.: 709,726

[22] Filed: Mar. 8, 1985

[52] U.S. Cl. D20/22; D8/356;
D8/396

[58] Field of Search D20/22; D8/356, 394,
D8/396; 40/316; D23/259, 262, 263, 265

[56] References Cited

U.S. PATENT DOCUMENTS

2,850,819	9/1958	Payne	40/316
3,088,237	5/1963	Plummer	40/316
3,162,470	12/1964	Davidson et al.	D23/262
3,474,559	10/1969	Hunt	40/316
3,491,472	1/1970	Walldorf	40/316
4,202,351	5/1980	Biche	40/316
4,206,909	6/1980	Wintle	40/316
4,378,648	4/1983	Loof et al.	40/316

FOREIGN PATENT DOCUMENTS

0076330	1/1948	Czechoslovakia	40/316
---------	--------	----------------	--------

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Charles E. Brown; Charles A. Brown

[57] CLAIM

The ornamental design for a cable identification sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a cable identification sleeve showing my new design, the cable being shown in broken lines for illustrative purposes only;
FIG. 2 is a reduced side elevational view thereof, the side opposite being a mirror image;
FIG. 3 is a reduced left end elevational view thereof;
FIG. 4 is a reduced right end elevational view thereof;
FIG. 5 is a reduced top plan view thereof, the bottom being identical;
FIG. 6 is a perspective view of a second embodiment of the design of FIG. 1, the cable being shown in broken lines for illustrative purposes only;
FIG. 7 is a reduced side elevational view of FIG. 6, the side opposite being a mirror image;
FIG. 8 is a reduced left end elevational view of FIG. 6;
FIG. 9 is a reduced right end elevational view of FIG. 6; and
FIG. 10 is a reduced top plan view of FIG. 6, the bottom being identical.





