

[54] COMBINED OUTDOOR FLOODLIGHT AND PHOTO ELECTRIC CONTROL THEREFOR.

[75] Inventor: Giovanni DeCandia, Germantown, Tenn.

[73] Assignee: FL Industries, Inc., Livingston, N.J.

[\*\*] Term: 14 Years

[21] Appl. No.: 866,094

[22] Filed: May 22, 1986

[52] U.S. Cl. .... D26/63

[58] Field of Search ..... D26/72, 80-92, D26/113, 60-66; 362/362, 363, 404-408, 432, 431, 267

[56] References Cited

U.S. PATENT DOCUMENTS

D. 225,768	1/1973	Hernandez et al. ....	D26/63
D. 269,553	6/1983	Johnson et al. ....	D26/63
4,343,032	8/1982	Schwartz .....	362/802 X
4,390,114	6/1983	Sviatoslavsky .....	362/275 X
4,410,931	10/1983	DeCandia .....	362/267

OTHER PUBLICATIONS

Light & Lighting (England), 11-1962, p. 329, Floodlight (Top Corner, Bottom, Right).

Slater Consumer Product Line Catalog, 8-1983, p. 9, Safety Light 94813.

Primary Examiner—Susan J. Lucas  
Attorney, Agent, or Firm—Elliot M. Olstein; Raymond J. Lillie

[57] CLAIM

I claim the ornamental design for a combined outdoor floodlight and photo electric control therefor, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined outdoor floodlight and photo electric control therefor showing my new design;  
 FIG. 2 is a top plan view thereof;  
 FIG. 3 is a rear elevational view thereof;  
 FIG. 4 is a bottom plan view thereof; and  
 FIG. 5 is a right side elevational view thereof; the left side being a mirror image.  
 FIG. 6 is a front elevational view of a second embodiment of my new design;  
 FIG. 7 is a top plan view thereof;  
 FIG. 8 is a rear elevational view thereof;  
 FIG. 9 is a bottom plan view thereof;  
 FIG. 10 is a right side elevational view thereof, the left side being a mirror image.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6







FIG. 7



**FIG. 8**



**FIG. 9**



**FIG. 10**

