

[54] VEHICLE TIRE

[75] Inventors: Toshinori Furusawa, Osaka; Kohtaroh Tsutsumi, Tokyo, both of Japan

[73] Assignee: The Ohtsu Tire & Rubber Co., Ltd., Osaka, Japan

[**] Term: 14 Years

[21] Appl. No.: 932,531

[22] Filed: Nov. 19, 1986

[30] Foreign Application Priority Data

May 30, 1986 [JP] Japan 61-21023

[52] U.S. Cl. D12/146; D12/140

[58] Field of Search D12/136, 140, 146-151; 152/209 R, 209 D, 209 B

[56] References Cited

PUBLICATIONS

1985 Tread Design Guide, p. 229, Carlisle Trail Hawk

Tire, third row down from top & second Tire in from right side of page.

1984 Tread Design Guide, p. 236, Dick Cepek Tera Flex Motosteel Dirt Tire, second Tire in from bottom right side of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Armstrong, Nikaido, Marmelstein & Kubovcik

[57] CLAIM


The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of a vehicle tire showing our new design, the left side being a mirror image thereof;

FIG. 2 is a front elevation view thereof; and

FIG. 3 is perspective view thereof it being understood that the tread design is repeated uniformly throughout the circumference of the tire.






Fig. 1




Fig. 3




Fig. 2