

[54] **AUTOMOBILE TIRE**

[75] **Inventor: Yasuo Igarashi, Hyogo, Japan**

[73] **Assignee: Sumitomo Rubber Industries, Ltd., Hyogo, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 876,351**

[22] **Filed: Jun. 19, 1986**

[30] **Foreign Application Priority Data**

Apr. 22, 1986 [JP] Japan ..... 61-15274

[52] **U.S. Cl. .... D12/151**

[58] **Field of Search ..... D12/136, 146-151; 152/209 R, 209 D, 209 B**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 284,750 7/1986 Kawabata et al. .... D12/147

**OTHER PUBLICATIONS**

1985 Tread Design Guide, p. 230, Dick Cepek Three

Wheeler ATC Tires, second Tire in from bottom left side of page.

1985 Tread Design Guide, p. 231, Dunlop KT 325 ATV Tire, second Tire in from bottom right side of page.

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—Birch, Stewart, Kolasch & Birch

[57] **CLAIM**

The ornamental design for an automobile tire, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of an automobile tire showing my new design it being understood that the tread design is repeated uniformly throughout the circumference of the tire and the opposite side is the same as that shown.

FIG. 2 is a front elevational view thereof; and FIG. 3 is a side elevational view thereof.




FIG. 1




FIG. 2




FIG. 3

