

# United States Patent [19]

Kizawa et al.

[11] Patent Number: Des. 302,005

[45] Date of Patent: \*\* Jul. 4, 1989

[54] BATTERY

[75] Inventors: Toshiaki Kizawa; Koichi Sato;  
Hayashi Hayakawa; Yuji Kano, all of  
Osaka, Japan

[73] Assignee: Matsushita Electric Industrial Co.,  
Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 880,615

[22] Filed: Jun. 30, 1986

[52] U.S. Cl. .... D13/8

[58] Field of Search ..... D13/4, 5, 8-10;  
D14/65; D26/39, 40; 429/82, 89, 99, 100, 123,  
151, 153, 159, 163, 175-178, 180, 187; 136/252,  
259; 307/150; 310/50; 320/2-5

[56] References Cited

## U.S. PATENT DOCUMENTS

2,635,128 4/1953 Arbogast ..... 429/153  
2,658,098 11/1953 Coleman et al. .... 429/159  
4,059,718 11/1977 Messing ..... 429/163



*Primary Examiner*—Bruce W. Dunkins  
*Assistant Examiner*—Clare E. Heflin  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn,  
Macpeak and Seas

[57] CLAIM


The ornamental design for a battery, as shown.

## DESCRIPTION


FIG. 1 is a front, top and right side perspective view of a battery showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view thereof; and FIG. 7 is a right side elevational view thereof.




*Fig. 1*




*Fig. 2*



*Fig. 3*



*Fig. 4*



*Fig. 6*



*Fig. 7*



*Fig. 5*

