

[54] **CLOCK**

[75] **Inventor: Hisako Sugano, Tokyo, Japan**

[73] **Assignee: Seikosha Co., Ltd., Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 868,332**

[22] **Filed: May 28, 1986**

[30] **Foreign Application Priority Data**

Nov. 28, 1985 [JP] Japan 60-49719

[52] **U.S. Cl. D10/26; D10/18**

[58] **Field of Search D10/1-2,
D10/18, 24-26, 122-126; 368/276-277, 285**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 92,562 6/1934 Schlenker D10/25
D. 186,612 11/1959 Florian D10/24
D. 199,912 12/1964 Burke D10/25

OTHER PUBLICATIONS

Jeweler's Circular-Keystone-11/53-p. 86-Clocks #2 and 4-at top.


Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a clock, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a clock showing my new design;
FIG. 2 is a left side elevational view thereof as it appears with its leg unfolded;
FIG. 3 is a right side elevational view thereof with the leg unfolded;
FIG. 4 is a top plan view thereof with the leg unfolded;
FIG. 5 is a bottom plan view thereof with the leg unfolded;
FIG. 6 is a rear elevational view thereof with the leg unfolded;
FIG. 7 is a front right perspective view thereof with the leg unfolded;
FIG. 8 is a rear elevational view thereof with the leg folded;
FIG. 9 is a right side elevational view thereof with the leg folded;
FIG. 10 is a left side elevational view thereof with the leg folded;
FIG. 11 is a bottom plan view thereof with the leg folded;
FIG. 12 is a top plan view thereof with the leg folded; and
FIG. 13 is a front right perspective view thereof with the leg folded.






FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG. 13