

[54] SHARP MEDICAL INSTRUMENT DISPOSABLE CONTAINER

[75] Inventors: Thomas W. Heubel, Chesterfield, Mo.; Rodney L. Laible; Daniel R. Brown, both of Omaha, Nebr.

[73] Assignee: Sherwood Medical Company, St. Louis, Mo.

[**] Term: 14 Years

[21] Appl. No.: 896,355

[22] Filed: Aug. 13, 1986

[52] U.S. Cl. D24/8; D24/56

[58] Field of Search D24/29, 25, 8, 56, 51; 206/366, 380, 56, 63.5; 215/274; D9/303

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|--------------------|-------|-----------|
| D. 265,125 | 6/1982 | Jordan | | D24/29 |
| D. 265,684 | 8/1982 | Christoffel et al. | | D24/30 X |
| 2,034,006 | 3/1936 | Smith | | 206/63.5 |
| 3,381,814 | 5/1968 | Benfield | | 206/635 |
| 3,556,293 | 1/1971 | Schlueter | | 206/56 |
| 3,765,574 | 10/1973 | Urquiza | | 222/183 |
| 4,315,592 | 2/1982 | Smith | | 206/366 X |
| 4,351,434 | 9/1982 | Elisha | | 206/366 |
| 4,452,358 | 6/1984 | Simpson | | 206/366 |
| 4,454,944 | 6/1984 | Shillington | | 206/366 |
| 4,466,538 | 8/1984 | Gianni | | 206/366 |
| 4,488,643 | 12/1984 | Pepper | | 206/380 X |
| 4,494,652 | 1/1985 | Nelson et al. | | 206/366 |
| 4,502,606 | 3/1985 | Shillington | | 215/274 |
| 4,520,926 | 6/1985 | Nelson | | 206/366 |
| 4,674,676 | 6/1987 | Sandel et al. | | 206/366 X |

OTHER PUBLICATIONS

SharpsGard 1000 TM Brochure—Winfield Corp., San Diego, Calif.

Primary Examiner—Wallace R. Burke

Assistant Examiner—Stella M. Reid




Attorney, Agent, or Firm—Stanley N. Garber; Andrew J. Beck; Charles Smith, Jr.

[57] CLAIM

The ornamental design for a sharp medical instrument disposable container, substantially as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a sharp medical instrument disposable container showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a back elevational view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a perspective view of the container with the cover removed; FIG. 8 is a top plan view of a second embodiment of the container shown in FIG. 1; FIG. 9 is a front elevational view thereof; FIG. 10 is a back elevational view thereof; FIG. 11 is a left side elevational view thereof; FIG. 12 is a right side elevational view thereof; FIG. 13 is a bottom plan view thereof; FIG. 14 is a perspective view of the container of FIG. 8, with the cover removed; FIG. 15 is a top plan view of a third embodiment of the container shown in FIG. 1; FIG. 16 is a front elevational view thereof; FIG. 17 is a back elevational view thereof; FIG. 18 is a left side perspective view thereof; FIG. 19 is a right side elevational view thereof; FIG. 20 is a bottom plan view thereof; FIG. 21 is a perspective view of the container of FIG. 15 with the cover removed; FIG. 22 is a top plan view of the upper cover portion of the container shown in the first, second and third embodiments; FIG. 23 is a top plan view of the upper cover portion of FIG. 22 but with a cap shifted from a carrier position to a position closing the entrance to the container; FIG. 24 is a top plan view of the cap of FIG. 22 by itself; and FIG. 25 is a top plan view of the upper cover portion of the container without the cap of FIG. 24.






Fig. 2




Fig. 5




Fig. 4




Fig. 1




Fig. 3




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21




Fig. 22




Fig. 23




Fig. 24




Fig. 25