

[54] PITOT TUBE TYPE FLOW MEASUREMENT DEVICE WITH A CRANK-OPERATED INSERT/RETRACT MECHANISM

D. 271,085 10/1983 Wohlers D10/46
3,443,431 5/1969 Hagen 73/861.65 X
4,645,242 2/1987 Coleman 73/861.67 X

[75] Inventors: David R. Mesnard, Boulder; Horst W. Kalin, Longmont, both of Colo.

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Edwin L. Spangler, Jr.

[73] Assignee: Dieterich Standard Corp., Boulder, Colo.

[57] CLAIM

[**] Term: 14 Years

The ornamental design for a pitot tube type flow measurement device with a crank-operated insert/retract mechanism, as shown.

[21] Appl. No.: 838,008

DESCRIPTION

[22] Filed: Feb. 28, 1986

[52] U.S. Cl. D10/96


[58] Field of Search D10/46, 96, 102, 103, D10/81; 73/861.65, 861.67

FIG. 1 is a front elevational view of the pitot tube type flow measurement device with a crank-operated insert/retract mechanism showing our new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; and, FIG. 6 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 245,482 8/1977 Flinta D10/96






Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5

Fig. 6