

[54] COMBINED MICROPHONE AND SHIELDER

[75] Inventor: Hiroshi Kubota, Kobe, Japan

[73] Assignee: Toa Tokushu Denki Kabushiki Kaisha, Kobe, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 145,203

[22] Filed: Mar. 11, 1988

Related U.S. Application Data

[62] Division of Ser. No. 783,313, Sep. 13, 1985.

[30] Foreign Application Priority Data

- Mar. 13, 1985 [JP] Japan ..... 60-10097
- Jul. 3, 1985 [JP] Japan ..... 60-28444
- Jul. 3, 1985 [JP] Japan ..... 60-28451

[52] U.S. Cl. .... D14/228; D14/225

[58] Field of Search ..... D14/3, 12, 13, 99; 381/91, 122, 155, 159, 168, 169, 170

[56] References Cited

U.S. PATENT DOCUMENTS

D. 190,864 7/1961 Deschamps ..... D14/12

- D. 205,403 8/1966 Wilson ..... D14/12
- D. 247,707 4/1978 Armstrong ..... D14/12
- D. 253,468 11/1979 Peterson ..... D14/12
- 4,633,045 12/1986 Bartlett ..... 381/155

OTHER PUBLICATIONS

Radio Shack 1986 Catalog No. 393, ©1985, p. 48, top left-Dual Pattern Electret.  
Radio Shack 1986 Catalog No. 393, ©1985, p. 48, bottom left-Realistic Highball-7.


Primary Examiner—Bernard Ansher  
Assistant Examiner—Theodore M. Shooman  
Attorney, Agent, or Firm—Neuman, Williams, Anderson & Olson

[57] CLAIM

The ornamental design for a combined microphone and shielder, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined microphone and shielder showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof, the right side being a mirror image;  
FIG. 4 is a top plan view thereof; and  
FIG. 5 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5