

[54] ELEMENT OF A SHOE UPPER

| | | | |
|-----------|---------|----------------------|---------|
| 1,887,725 | 11/1932 | Walsh . | |
| 4,389,798 | 6/1983 | Tilles | 36/32 R |
| 4,484,397 | 11/1984 | Curley, Jr. | 36/69 X |
| 4,638,576 | 1/1987 | Parracho et al. | 36/69 X |

[75] Inventor: Paul D. Brown, Hingham, Mass.

[73] Assignee: Reebok International Ltd., Canton, Mass.

[**] Term: 14 Years

[21] Appl. No.: 243,652

[22] Filed: Sep. 12, 1988

[52] U.S. Cl. D2/314

[58] Field of Search D2/264, 265, 277, 308-314, D2/322; 36/83, 84, 92, 105-107, 112-116, 132, 136, 40, 41, 69, 82, 72 B, 73, 32 R

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|-------------------|---------|
| D. 17,449 | 7/1887 | Rider | 36/73 X |
| D. 299,784 | 2/1989 | Brown et al. | D2/314 |

Primary Examiner—Louis S. Zarfes
Attorney, Agent, or Firm—Saidman, Sterne, Kessler & Goldstein

[57] CLAIM

The ornamental design for an element of a shoe upper, as shown and described.

DESCRIPTION

FIG. 1 is a left side elevational view of an element of a shoe upper showing my new design; FIG. 2 is a right side elevational view thereof; and FIG. 3 is a rear elevational view thereof. The broken line showing of a shoe in FIGS. 1-3 and the area within are environmental only and form no part of the claimed design.





FIG. 1




FIG. 2




FIG. 3





FIG. 4



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 302,899
DATED : August 22, 1989
INVENTOR(S) : Paul D. Brown

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 2 of the drawings, delete Figure 3 in its entirety; also delete "Fig. 4" and substitute --Fig. 3-- therefor.

**Signed and Sealed this
Fourteenth Day of August, 1990**

Attest:

Attesting Officer

HARRY F. MANBECK, JR.

Commissioner of Patents and Trademarks

FIG.1




FIG.2




FIG. 3

