

[54] ELEMENT OF A SHOE UPPER

1,887,725	11/1932	Walsh .	
4,389,798	6/1983	Tilles .....	36/32 R
4,484,397	11/1984	Curley, Jr. ....	36/69 X
4,638,576	1/1987	Parracho et al. ....	36/69 X

[75] Inventor: Paul D. Brown, Hingham, Mass.

[73] Assignee: Reebok International Ltd., Canton, Mass.

[\*\*] Term: 14 Years

[21] Appl. No.: 243,652

[22] Filed: Sep. 12, 1988

[52] U.S. Cl. .... D2/314

[58] Field of Search ..... D2/264, 265, 277, 308-314, D2/322; 36/83, 84, 92, 105-107, 112-116, 132, 136, 40, 41, 69, 82, 72 B, 73, 32 R

[56] References Cited

U.S. PATENT DOCUMENTS

D. 17,449	7/1887	Rider .....	36/73 X
D. 299,784	2/1989	Brown et al. ....	D2/314



Primary Examiner—Louis S. Zarfes  
Attorney, Agent, or Firm—Saidman, Sterne, Kessler & Goldstein

[57] CLAIM


The ornamental design for an element of a shoe upper, as shown and described.

DESCRIPTION


FIG. 1 is a left side elevational view of an element of a shoe upper showing my new design; FIG. 2 is a right side elevational view thereof; and FIG. 3 is a rear elevational view thereof. The broken line showing of a shoe in FIGS. 1-3 and the area within are environmental only and form no part of the claimed design.




**FIG. 1**




**FIG. 2**



**FIG. 3**



**FIG. 4**



UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 302,899

Page 1 of 3

DATED : August 22, 1989

INVENTOR(S) : Paul D. Brown

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Sheet 2 of the drawings, delete Figure 3 in its entirety; also delete "Fig. 4" and substitute --Fig. 3-- therefor.

**Signed and Sealed this  
Fourteenth Day of August, 1990**


*Attest:*

HARRY F. MANBECK, JR.


*Attesting Officer*

*Commissioner of Patents and Trademarks*

**FIG.1**



**FIG.2**



**FIG. 3**

