

[54] WIRE HOLDER

[75] Inventor: Akio Fujioka, Nagoya, Japan

[73] Assignee: Kitagawa Industries Co., Ltd., Nagoya, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 868,337

[22] Filed: May 29, 1986

[30] Foreign Application Priority Data

Dec. 4, 1985 [JP] Japan ..... 60-50817

[52] U.S. Cl. .... D8/356; D8/395; D8/396

[58] Field of Search ..... D8/356, 395; 248/73, 248/74.2

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 274,213 6/1984 Omata ..... D8/356
- D. 292,554 11/1987 Yagi ..... D8/395 X
- D. 293,205 12/1987 Nakano ..... D8/395
- 3,441,986 5/1969 Pritchard ..... D8/356 X
- 4,119,285 10/1978 Bisping et al. .... 248/74.2 X
- 4,371,137 2/1983 Anscher ..... 248/73
- 4,495,548 1/1985 Matsui ..... 174/138 X
- 4,566,660 1/1986 Anscher ..... 248/74.2
- 4,682,748 7/1987 Freudenmann ..... 248/73

4,691,883 9/1987 Kurihara ..... 248/74.2

OTHER PUBLICATIONS

Western Electric, "Wire Securing Clip", p. 23, Technical Digest, No. 50, Apr. 1978; by S. Pinnolis.

Primary Examiner—Horace B. Fay, Jr.  
Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57] CLAIM

The ornamental design for wire holder, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a wire holder showing my new design;  
 FIG. 2 is a front elevational view thereof;  
 FIG. 3 is a bottom plan view thereof;  
 FIG. 4 is a right side elevational view thereof;  
 FIG. 5 is a sectional view taken on line 5—5 of FIG. 2 thereof;  
 FIG. 6 is a sectional view taken line line 6—6 of FIG. 2 thereof;  
 FIG. 7 is a sectional view taken on line 7—7 of FIG. 2 thereof;  
 FIG. 8 is a sectional view taken on line 8—8 of FIG. 2 thereof; and  
 FIG. 9 is a rear elevational view thereof.





FIG. 1





FIG. 2

5 ← 6 ←



8 ←  
7 ←

8 ←  
7 ←

5 ← 6 ←

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8



FIG. 9

