

[54] HOPPER

[75] Inventors: Masazumi Miyoshi, Nagasaki;
Muneo Isayama, Oami-shirasato,
both of Japan

[73] Assignee: Ise Kagaku Kogyo Kabushiki Gaisha,
Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 873,340

[22] Filed: Jun. 12, 1986

[30] Foreign Application Priority Data

Dec. 12, 1985 [JP] Japan 60-51452
[52] U.S. Cl. D15/122; D15/199
[58] Field of Search D15/122, 199; 222/181,
222/185

[56] References Cited

U.S. PATENT DOCUMENTS

Re. 31,934 7/1985 Marston 222/181
D. 186,468 10/1959 Wahl D15/122

D. 223,510 4/1971 Racca et al. D15/122
2,525,973 10/1950 Sundstrom et al. 222/185
2,686,618 8/1954 Mateer 222/181
4,418,845 12/1983 Hehl 222/185
4,690,305 9/1987 Copeland 222/185


Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Oblon, Spivak, McClelland,
Maier & Neustadt

[57] CLAIM

The ornamental design for a hopper, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hopper, showing our new design;
FIG. 2 is a sectional view taken through the center toward the left.
FIG. 3 is a bottom view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a rear elevational view thereof and;
FIG. 8 is a front elevational view thereof.






FIG. 1




FIG. 2




FIG.3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8