

[54] **COMBINED HANDGRIP AND BRAKE  
LEVER UNIT FOR A WALKER**

[75] **Inventor: Per Olofsson, Malmö, Sweden**  
[73] **Assignee: Stiftelsen Pileprodukter, Malmö,  
Sweden**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 903,654**  
[22] **Filed: Sep. 5, 1986**

[30] **Foreign Application Priority Data**

Mar. 11, 1986 [SE] Sweden ..... 86-0603  
[52] **U.S. Cl. .... D12/133; D12/130;  
D12/179**  
[58] **Field of Search ..... D12/179, 128, 130, 133;  
D8/303; 74/489, 488; 272/70.3**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 286,034 10/1986 Giorgetti ..... D12/179  
D. 289,507 4/1987 Danielsson ..... D12/130  
D. 293,663 1/1988 Erfurth ..... D12/130

4,307,625 12/1981 Lauzier ..... 74/489  
4,652,026 3/1987 Byrge ..... D12/133

**FOREIGN PATENT DOCUMENTS**

984239 7/1951 France ..... 74/489  
832913 4/1960 United Kingdom ..... 272/70.3

*Primary Examiner*—Wallace R. Burke  
*Assistant Examiner*—Kay H. Chin  
*Attorney, Agent, or Firm*—Bacon & Thomas

[57] **CLAIM**

The ornamental design for a combined handgrip and brake lever unit for a walker, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a combined handgrip and brake lever unit for a walker showing my new design;  
FIG. 2 is a side elevational view thereof, the opposite side elevational view being a mirror image of that shown;  
FIG. 3 is a side elevational view of the brake lever unit, the handgrip unit is omitted for convenience of illustration; and  
FIG. 4 is an enlarged rear perspective view of FIG. 3.




FIG. 1




FIG. 2

