

[54] COMBINED VOICE AND DATA COMMUNICATION TERMINAL

[75] Inventors: Alberto Meda; Franco Raggi, both of Milan; Denys Santachiara, Reggio Emilia; Piercarlo Ravasio, Calolziocorte; Franco Zanoletti, Milan, all of Italy

[73] Assignee: Italtel Telematica s.p.a., Caserta, Italy

[**] Term: 14 Years

[21] Appl. No.: 845,362

[22] Filed: Mar. 19, 1986

[30] Foreign Application Priority Data

Sep. 19, 1985 [IT] Italy 23167/85[U]

[52] U.S. Cl. D14/101; D14/106; D14/142; D14/149; D14/248

[58] Field of Search D14/100, 101, 106, 107, D14/52, 53, 54, 58, 60, 62, 64, 66; 340/365 R, 700, 711; 364/708; 379/96, 110, 440; 434/93

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 244,613 6/1977 Sottsass, Jr. D14/106
D. 247,563 3/1978 Jinbo et al. D14/106
D. 277,957 3/1985 Read D14/106 X
D. 290,604 6/1987 Offredi D14/53
D. 292,090 9/1987 Shintomi D14/52 X

OTHER PUBLICATIONS

British Telecommunications Engineering, vol. 3, 7-1984, back cover, Executed Multifunctional Desk Communication Telephone.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Birch, Stewart, Kolasch & Birch

[57] CLAIM

The ornamental design for a combined voice and data communication terminal, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a combined voice and data communication terminal showing our new design;

FIG. 2 is a top, front perspective view of a second embodiment of our new design;

FIG. 3 is a top, front perspective view of a third embodiment of our new design;

FIG. 4 is a top, front perspective view of a fourth embodiment of our new design;

FIG. 5 is a top, front perspective view thereof with the keyboard and display unit separated from its base;

FIG. 6 is an enlarged top, rear perspective view thereof;


FIG. 7 is a front elevational view thereof;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a greatly enlarged, fragmentary view thereof, showing the keyboard and display unit separated from its base, with the handset detached from its support, the terminal being fragmentarily shown for convenience of illustration.

It is understood that the keyboard and display unit in each of the first three embodiments is also separable from the base, and that the top surface of the base unit in each of those embodiments is identical to that shown in FIG. 5. The front, and left and right sides of each of the first three embodiments are identical to those of the fifth embodiment as shown in FIGS. 7 and 8, except for the differences in the number of base units. The handset and support therefor are identical in all the embodiments.






FIGURE 1




FIGURE 2




Figure 3

Figure 4





Figure 5






Figure 6




FIG. 7




FIG. 9




FIG. 8




Figure 10