

[54] COMBINED VOICE AND DATA  
COMMUNICATION TERMINAL

[75] Inventors: Alberto Meda; Franco Raggi, both of  
Milan; Denys Santachiara, Reggio  
Emilia; Piercarlo Ravasio,  
Calolziocorte; Franco Zanoletti,  
Milan, all of Italy

[73] Assignee: Italtel Telematica s.p.a., Caserta,  
Italy

[\*\*] Term: 14 Years

[21] Appl. No.: 845,362

[22] Filed: Mar. 19, 1986

[30] Foreign Application Priority Data

Sep. 19, 1985 [IT] Italy ..... 23167/85[U]

[52] U.S. Cl. .... D14/101; D14/106;  
D14/142; D14/149; D14/248

[58] Field of Search ..... D14/100, 101, 106, 107,  
D14/52, 53, 54, 58, 60, 62, 64, 66; 340/365 R,  
700, 711; 364/708; 379/96, 110, 440; 434/93

[56] References Cited

U.S. PATENT DOCUMENTS

D. 244,613 6/1977 Sottsass, Jr. .... D14/106

D. 247,563 3/1978 Jinbo et al. .... D14/106

D. 277,957 3/1985 Read ..... D14/106 X

D. 290,604 6/1987 Offredi ..... D14/53

D. 292,090 9/1987 Shintomi ..... D14/52 X

OTHER PUBLICATIONS

British Telecommunications Engineering, vol. 3,  
7-1984, back cover, Executed Multifunctional Desk  
Communication Telephone.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Birch, Stewart, Kolasch &  
Birch

[57] CLAIM

The ornamental design for a combined voice and data  
communication terminal, as shown and described.

DESCRIPTION

FIG. 1 is a top, front perspective view of a combined  
voice and data communication terminal showing our  
new design;

FIG. 2 is a top, front perspective view of a second  
embodiment of our new design;

FIG. 3 is a top, front perspective view of a third em-  
bodiment of our new design;

FIG. 4 is a top, front perspective view of a fourth em-  
bodiment of our new design;

FIG. 5 is a top, front perspective view thereof with the  
keyboard and display unit separated from its base;

FIG. 6 is an enlarged top, rear perspective view thereof;


FIG. 7 is a front elevational view thereof;

FIG. 8 is a left side elevational view thereof;

FIG. 9 is a right side elevational view thereof;

FIG. 10 is a greatly enlarged, fragmentary view thereof,  
showing the keyboard and display unit separated from  
its base, with the handset detached from its support, the  
terminal being fragmentarily shown for convenience of  
illustration.

It is understood that the keyboard and display unit in  
each of the first three embodiments is also separable  
from the base, and that the top surface of the base unit  
in each of those embodiments is identical to that shown  
in FIG. 5. The front, and left and right sides of each of  
the first three embodiments are identical to those of the  
fifth embodiment as shown in FIGS. 7 and 8, except for  
the differences in the number of base units. The handset  
and support therefor are identical in all the embodi-  
ments.






FIGURE 1




FIGURE 2



Figure 3




Figure 4





Figure 5






Figure 6






FIG. 7






FIG. 9




FIG. 8




Figure 10