

[54] DEVELOPING DEVICE FOR
ELECTROPHOTOGRAPHIC COPIER

[75] Inventor: Naoki Tashiro, Kawasaki, Japan
[73] Assignee: Canon Kabushiki Kaisha, Tokyo,
Japan
[**] Term: 14 Years
[21] Appl. No.: 935,545
[22] Filed: Nov. 26, 1986

[30] Foreign Application Priority Data

May 28, 1986 [JP] Japan 61-20643
[52] U.S. Cl. D18/36
[58] Field of Search D18/36-44;
355/3 R, 3 DD, 3 DR, 14 R, 14 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 272,251 1/1984 Yoshiyama D18/36
D. 276,916 12/1984 Masaki D18/36

D. 286,542 11/1986 Saito D18/36
D. 287,023 12/1986 Masaki D18/36
D. 298,334 11/1988 Masaki et al. D16/32
4,708,458 11/1987 Ueda 355/3 DD
4,740,767 4/1988 Kawano 355/3 DD

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper &
Scinto

[57] CLAIM

The ornamental design for a developing device for
electrophotographic copier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a developing de-
vice for electrophotographic copier showing my new
design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

