

[54] RING BINDER

[75] Inventors: Mark D. Rexroat, Kettering;
Meredith Spence, Jr.; John J.
Nerlinger, both of Dayton, all of
Ohio

[73] Assignee: The Mead Corporation, Dayton,
Ohio

[**] Term: 14 Years

[21] Appl. No.: 857,560

[22] Filed: Apr. 21, 1986

[52] U.S. Cl. D19/27; D19/26

[58] Field of Search D19/26, 27; 281/3, 31,
281/33, 37, 15 R, 21 R, 21 A; 206/425; 402/24,
31, 80 R, 80 L

[56] References Cited

U.S. PATENT DOCUMENTS

1,023,834 4/1912 Gareis 281/31

1,909,807 5/1933 Buxton 206/425
3,680,969 8/1972 Gormau 281/31
3,936,202 2/1976 Brajituli D19/27
4,296,945 10/1981 Pavlik 282/31

Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Martha Thompson
Attorney, Agent, or Firm—Biebel, French & Nauman

[57] CLAIM

The ornamental design for a ring binder, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a ring binder, in a partially open position, showing our new design;
FIG. 2 is a top plan view;
FIG. 3 is a front elevational view;
FIG. 4 is a left side elevational view;
FIG. 5 is a right side elevational view;
FIG. 6 is a bottom plan view; and
FIG. 7 is a front elevational view thereof, with the flap in an open position.




FIG-1





FIG-2






FIG-3

FIG-4




FIG-5




FIG-6




FIG- 7

