

[54] **ALARM CLOCK WITH VOICE RECORDER**

[75] **Inventor: Hidekatsu Nomizu, Yoshida, Japan**

[73] **Assignee: TWIN BIRD Industrial Company Limited, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 934,926**

[22] **Filed: Nov. 25, 1986**

[52] **U.S. Cl. .... D10/2; D10/26**

[58] **Field of Search .... D10/1, 2, 21-29, D10/122-128; 368/10, 11-12, 276-277, 285, 63, 72, 244, 274, 45**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 241,772 10/1976 Igo et al. .... D10/15 X
- D. 245,765 9/1977 Yoshida .... D10/2 X
- D. 253,773 12/1979 Bieger .... D10/15 X
- D. 254,980 5/1980 White .... D10/15 X
- D. 270,522 9/1983 Cook .... D10/15

*Primary Examiner*—Nelson C. Holtje  
*Attorney, Agent, or Firm*—Steele, Gould & Fried

[57] **CLAIM**

The ornamental design for an alarm clock with voice recorder, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of an alarm clock with voice recorder showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right, front perspective view thereof.




FIG. 1




FIG. 2




FIG.3




FIG.4

