

[54] ELECTROMAGNETIC BELL

[56] References Cited

[75] Inventors: Junichi Aizawa; Shoichiro Kumazawa; Satoru Yamauchi; Isao Kondo, all of Tokyo, Japan

U.S. PATENT DOCUMENTS

D. 149,907	6/1948	Rifkin	D10/116
2,189,181	2/1940	Rittenhouse	340/392
2,290,717	7/1942	Swanson	340/392
4,300,128	11/1981	Ishii	340/392

[73] Assignee: Seikosha Co., Ltd., Japan

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[**] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 940,646

The ornamental design for an electromagnetic bell, as shown and described.



[22] Filed: Dec. 11, 1986

DESCRIPTION

[30] Foreign Application Priority Data

Jul. 17, 1986	[JP]	Japan	61-28011
[52]	U.S. Cl.	D10/116
[58]	Field of Search	D10/104, 116, 118-121; 340/384 R, 384 E, 388, 389, 392, 393, 394, 396, 404, 405; 116/60, 148, 149, 151

FIG. 1 is a front elevational view of an electromagnetic bell showing our new design, the rear being the same in appearance as the front;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a top plan view thereof; and
FIG. 5 is a bottom plan view thereof.






FIG. 1




FIG. 3




FIG. 4




FIG. 2




FIG. 5