

[54] **TIRE**

[75] **Inventor:** Maurice Graas, Luxembourg City,  
Luxembourg

[73] **Assignee:** The Goodyear Tire & Rubber  
Company, Akron, Ohio

[\*] **Notice:** The portion of the term of this patent  
subsequent to Jun. 16, 2002 has been  
disclaimed.

[\*\*] **Term:** 14 Years

[21] **Appl. No.:** 875,778

[22] **Filed:** Jun. 16, 1986

[30] **Foreign Application Priority Data**  
Jan. 31, 1986 [BN] Benelux ..... 60794-00

[52] **U.S. Cl.** ..... D12/143

[58] **Field of Search** ..... D12/141-143,  
D12/146-151; 152/209 R, 209 D, 209 B

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 104,296 4/1937 Thacher ..... D12/141  
D. 280,090 8/1985 Graas ..... D12/146  
D. 294,237 2/1988 Graas et al. .... D12/143

**OTHER PUBLICATIONS**

1985 Tread Design Guide, p. 32, Firestone Super Sports  
Tire, second tire in from top right side of page.


*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—R. J. Slattery, III; L. R.  
Drayer

[57] **CLAIM**

The ornamental design for a tire, as shown and de-  
scribed.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire showing my new  
design it being understood that the tread pattern is re-  
peated throughout the circumference of the tire, the  
opposite side being substantially the same as that shown;  
FIG. 2 is a front elevational view thereof; and  
FIG. 3 is a side elevational view thereof on a reduced  
scale.






FIG. 1




FIG.2




FIG. 3