

# United States Patent [19]

Sekine

[11] Patent Number: **Des. 304,191**

[45] Date of Patent: **\*\* Oct. 24, 1989**

[54] **RADIO PAGING RECEIVER**

[75] Inventor: **Isamu Sekine, Kawagoe, Japan**

[73] Assignee: **Kokusai Denki Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

[21] Appl. No.: **117,642**

[22] Filed: **Nov. 4, 1987**

[30] **Foreign Application Priority Data**

May 19, 1987 [JP] Japan ..... 62-19359  
[52] U.S. Cl. .... **D14/192**  
[58] Field of Search ..... D14/155, 168, 188, 189,  
D14/191, 192, 197, 198, 225, 226; 455/92, 100,  
128, 351; 340/311.1

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 223,835 6/1972 Schmidt ..... D14/191  
D. 277,753 2/1985 Eckmann et al. .... D14/191

D. 280,896 10/1985 Campbell et al. .... D14/191 X  
D. 281,975 12/1985 Oyamada ..... D14/191 X  
D. 290,356 6/1987 Fisher ..... D14/191  
D. 291,886 9/1987 Scheid et al. .... D14/191

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Robert E. Burns; Emmanuel J. Lobato

[57] **CLAIM**

The ornamental design for a radio paging receiver, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a radio paging receiver showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a rear elevational view thereof;  
FIG. 7 is a top front perspective view thereof; and  
FIG. 8 is a rear bottom perspective view thereof.






FIG. 4




FIG. 1




FIG. 5



FIG. 6




FIG. 2




FIG. 3

FIG. 7




FIG. 8

