

[54] TOY CONSTRUCTION LINK

4,740,188 4/1988 Coster ..... 446/114

[76] Inventor: Dennis Moe, 2344 State Hwy. 16, La Crosse, Wis. 54601

FOREIGN PATENT DOCUMENTS

[\*\*] Term: 14 Years

907326 8/1972 Canada ..... 446/114  
814859 9/1951 Fed. Rep. of Germany ..... 446/123  
2056384 5/1972 Fed. Rep. of Germany ..... 446/116  
195156 3/1923 United Kingdom ..... 446/113  
883895 12/1961 United Kingdom ..... 446/113

[21] Appl. No.: 6,618

[22] Filed: Jan. 23, 1987

Primary Examiner—Charles A. Rademaker

[52] U.S. Cl. .... D21/108

Assistant Examiner—Alicia A. Farrell

[58] Field of Search ..... D21/90, 108, 114, 115, D21/116, 117, 118, 119, 124, 138, 141; 403/388; 446/85, 102, 103, 104, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 120, 121, 122, 124, 125, 127, 128

Attorney, Agent, or Firm—William J. Beres

[57] CLAIM

The ornamental design for a toy construction link, as shown and described.

[56] References Cited

DESCRIPTION

U.S. PATENT DOCUMENTS

- D. 48,675 3/1916 Gilbert .
- D. 73,604 10/1927 Gilbert .
- D. 284,393 6/1986 Kassai ..... D21/108
- D. 285,226 8/1986 Kassai ..... D21/108
- D. 285,948 9/1986 Mazzoleni ..... D21/108
- 1,000,395 8/1911 Frost ..... 446/122 X
- 1,589,827 6/1926 Wessel .
- 1,763,300 6/1930 Gilbert .
- 1,779,826 10/1930 Potter .
- 1,860,627 5/1932 Sherman .
- 2,014,464 9/1935 Bierbach ..... 446/123 X
- 2,095,700 10/1937 Heede ..... 46/29
- 2,332,752 10/1943 Ratcliff ..... 403/388
- 2,426,326 8/1947 Tooms ..... 46/29
- 2,712,200 7/1955 Dearling ..... 446/116
- 2,733,786 2/1956 Drake ..... 189/34
- 3,199,245 8/1965 Fischer ..... 446/108
- 3,199,246 8/1965 Fischer ..... 46/28
- 3,699,709 10/1972 Schmidt ..... 46/29
- 3,979,855 9/1976 Schmidt et al. .... 446/113
- 4,490,065 12/1984 Ullrich et al. .... 411/400 X

FIG. 1 is a top plan view of a construction toy link showing my new design;  
FIG. 2 is a front elevational view thereof, the side opposite being a mirror image;  
FIG. 3 is a left end elevational view thereof;  
FIG. 4 is a right end elevational view thereof;  
FIG. 5 is a bottom plan view thereof;  
FIG. 6 is a top plan view of a first embodiment of the design shown in FIGS. 1 through 5;  
FIG. 7 is a front elevational view thereof; the side opposite being a mirror image;  
FIG. 8 is a left end elevational view thereof;  
FIG. 9 is a right end elevational view thereof;  
FIG. 10 is a bottom plan view thereof;  
FIG. 11 is a top plan view of a second embodiment of the design shown in FIGS. 1 through 5;  
FIG. 12 is a front elevational view thereof; the side opposite being a mirror image;  
FIG. 13 is a left end elevational view thereof;  
FIG. 14 is a right end elevational view thereof; and  
FIG. 15 is a bottom plan view thereof.







FIG. 1




FIG. 3



FIG. 2



FIG. 4




FIG. 5




FIG. 6



FIG. 8




FIG. 7



FIG. 9




FIG. 10



FIG. 11



FIG. 13




FIG. 12



FIG. 14




FIG. 15