

[54] MICROPROCESSOR

[75] Inventors: Katsuji Kagayama, Nara; Benito Mishiro, Osaka; Yoshihiko Sugiyama, Nara; Ikuo Nishimura, Osaka, all of Japan

[73] Assignee: Matsushita Electric Industrial Co., Ltd., Osaka, Japan

[\*\*] Term: 14 Years

[21] Appl. No.: 898,556

[22] Filed: Aug. 21, 1986

[30] Foreign Application Priority Data

Mar. 31, 1986 [JP] Japan ..... 61-11669

Apr. 18, 1986 [JP] Japan ..... 61-14633

[52] U.S. Cl. .... D14/100; D14/109

[58] Field of Search ..... D14/100-117; D13/4, 10, 12, 13, 24; 360/97, 98, 99, 132, 133; 361/330, 331, 332, 352, 334-335, 348, 380, 381, 390-395, 379, 384, 415, 426, 2, 4, 9, 358; 312/299, 304, 208, 275, 270, 253; 364/708; 211/41, 26, 126; 174/50, 52 R; 200/5 R, 5 A, 6 R, 6 A

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 277,672 2/1985 Cridland et al. .... D14/100
D. 279,374 6/1985 Benigni et al. .... D14/100
D. 279,675 7/1985 Akiyama ..... D14/100
D. 280,410 9/1985 Sakamoto ..... D14/109 X
D. 282,259 1/1986 Kuroiwa et al. .... D14/109
D. 289,056 3/1987 Davis et al. .... D14/100
D. 294,577 3/1988 Kline ..... D14/109 X
D. 295,043 4/1988 Hara et al. .... D14/109 X

OTHER PUBLICATIONS

Sanyo—Nov. 30, 1985—Sanyo Model BMC 990 Series

Desk Top at Compatible Computer—Sanyo Business Systems Corp.

Tandy—Nov. 30, 1985—Tandy 1000 Personal Computer Tandy.

Samsung—Nov. 30, 1985—Samsung Model SPC-3000 16 Bit Desk Top Computer—Samsung.

Primary Examiner—Susan J. Lucas
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[57] CLAIM

The ornamental design for microprocessor, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of an arithmetic and control unit for computer showing our new design;

FIG. 2 is an rear, bottom and left side perspective view thereof;

FIG. 3 is a front, top and right side perspective view of a second embodiment of our new design;

FIG. 4 is a rear, bottom and left side perspective view thereof;

FIG. 5 is a front, top and right side perspective view of a third embodiment of our new design, the third embodiment differing from the first embodiment only in the configuration of the elements on the front panel;

FIG. 6 is a rear elevational view common to the first and third embodiments on an enlarged scale; and

FIG. 7 is a right side elevational view of the first embodiment on an enlarged scale, corresponding views of the second and third embodiments being identical except for the shape of the elements extruding from the panel.




Fig. 1




Fig. 2




Fig. 3






Fig. 4






*Fig. 5*



*Fig. 6*



*Fig. 7*

