

[54] **VEHICLE TIRE**

[75] **Inventor: Georg Schüller, Vienna, Austria**

[73] **Assignee: Semperit Reifen Aktiengesellschaft, Vienna, Austria**

[**] **Term: 14 Years**

[21] **Appl. No.: 23,269**

[22] **Filed: Mar. 9, 1987**

[30] **Foreign Application Priority Data**

Dec. 4, 1986 [AT] Austria 6597
[52] **U.S. Cl. D12/146**
[58] **Field of Search D12/141-143, D12/145-151; 152/209 R, 209 B, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 269,174 5/1983 Ingley et al. D12/147
D. 284,650 7/1986 Mader D12/147
D. 288,191 2/1987 Nakagawa et al. D12/147

FOREIGN PATENT DOCUMENTS

25417 3/1980 Sweden .

OTHER PUBLICATIONS

1985 Tread Design Guide, p. 43, Lee Radial G/T Turbo Action Tire, third row down from top, center of page. Modern Tire Dealer, 3/85, p. 58, Fulda Y-2000 Tire, center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Werner W. Kleeman


[57] **CLAIM**

The ornamental design for a vehicle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle tire showing my new design, it being understood that the design is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown; and

FIG. 2 is a front elevational view thereof.






Fig. 1




Fig. 2