

United States Patent [19]

Saegusa et al.

[11] Patent Number: **Des. 304,578**

[45] Date of Patent: **** Nov. 14, 1989**

[54] **FACSIMILE TRANSCEIVER**

[75] Inventors: **Masahito Saegusa, Mitaka; Kazunori Hashimoto, Tachikawa; Takashi Ohwada, Mitaka; Yoshihiro Kawakatsu, Sayama; Katsubumi Ohuchi, Chigasaki; Hiroshi Endo, Yokohama; Taichiro Yamashita, Chigasaki, all of Japan**

[73] Assignee: **Hitachi, Ltd., Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **101,548**

[22] Filed: **Sep. 28, 1987**

[30] **Foreign Application Priority Data**

Mar. 27, 1987 [JP] Japan 62-11310

[52] U.S. Cl. **D14/118**

[58] Field of Search D14/118, 142, 144, 151;
D18/36, 37; 358/256, 286

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 295,750 5/1988 Imai D14/118 X

D. 299,494 1/1989 Tsuruoka D14/118
D. 300,139 3/1989 Nishio D14/118

OTHER PUBLICATIONS

The Office, Sep. 1987, p. 148, Right-Facsimile System.
The Office, Sep. 1987, p. 146, Right-Facsimile Transceiver.

The Office, Apr. 1987, p. 13, Center-Harris/3M Facsimile.

Primary Examiner—Bernard Ansher

Assistant Examiner—Theodore M. Shooman

Attorney, Agent, or Firm—Antonelli, Terry & Wands

[57] **CLAIM**

The ornamental design for an facsimile transceiver, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of an facsimile transceiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a left side elevational view thereof; and FIG. 7 is a bottom plan view thereof;




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

