

[54] **LABORATORY HEATER**

[75] **Inventor: Lawrence W. Stalec, Franklin Park, Ill.**

[73] **Assignee: Lab-Line Instruments, Inc., Melrose Park, Ill.**

[**] **Term: 14 Years**

[21] **Appl. No.: 32,390**

[22] **Filed: Mar. 30, 1987**

[52] **U.S. Cl. D23/314**

[58] **Field of Search D23/330, 332, 335, 336, D23/337, 314, 317; 219/385, 386, 521**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,226	8/1984	Nishigaki	D23/314
1,865,472	7/1932	Lamstein	219/385
2,932,718	4/1960	Marsters	219/521
3,109,084	10/1963	Walsh	219/385
3,607,134	9/1971	McIntyre	219/386
3,766,360	10/1973	Eddleman et al.	219/521
3,965,808	6/1976	Chomette	219/386
4,249,069	2/1981	Andersen	219/386

Primary Examiner—James M. Gandy
Assistant Examiner—Lisa Lichtenstein
Attorney, Agent, or Firm—Emrich & Dithmar

[57] **CLAIM**

The ornamental design for a laboratory heater, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a laboratory heater showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof, a rectangular well being shown in the top wall to accommodate heater blocks;

FIG. 4 is a side elevational view of one side thereof, the other side being identical;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front elevational view of a laboratory heater showing a second embodiment of my new design;

FIG. 7 is a rear elevational view thereof;

FIG. 8 is a top plan view thereof, a rectangular well being shown in the top wall to accommodate heater blocks;

FIG. 9 is a side elevational view of one side thereof, the other side being identical;

FIG. 10 is a bottom plan view thereof;

FIG. 11 is a front elevational view of a laboratory heater showing a third embodiment of my new design;

FIG. 12 is a rear elevational view thereof;

FIG. 13 is a top plan view thereof, a rectangular well being shown in the top wall to accommodate heater blocks;

FIG. 14 is a side elevational view of one side thereof, the other side being identical;

FIG. 15 is a bottom plan view thereof;

FIG. 16 is a front elevational view of a laboratory heater showing a fourth embodiment of my new design;

FIG. 17 is a rear elevational view thereof;

FIG. 18 is a top plan view thereof, a rectangular well being shown in the top wall to accommodate heater blocks;

FIG. 19 is a side elevational view of one side thereof, the other side being identical;

FIG. 20 is a bottom plan view thereof;

FIG. 21 is a front elevational view of a laboratory heater showing a fifth embodiment of my new design;



FIG. 22 is a rear elevational view thereof;

FIG. 23 is a top plan view thereof, a rectangular well being shown in the top wall to accommodate heater blocks;

FIG. 24 is a side elevational view of one side thereof, the other side being identical; and

FIG. 25 is a bottom plan view thereof.

The electrical cord has been broken away in the middle in the drawing to indicate indeterminate length.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25