

[54] **FACSIMILE TRANSCEIVER**

[75] **Inventors: Kazunori Hashimoto, Tachikawa; Yoshihiro Kawakatsu, Sayama; Tooru Ebihara, Ichikawa; Hideyasu Shimizu, Yokohama; Shinichiro Tsunematsu, Yokohama; Hirokazu Takeda, Yokohama, all of Japan**

[73] **Assignee: Hitachi, Ltd., Tokyo, Japan**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 22,263**

[22] **Filed: Mar. 4, 1987**

[30] **Foreign Application Priority Data**

Sep. 22, 1986 [JP] Japan ..... 61-37155  
[52] **U.S. Cl. .... D14/118**  
[58] **Field of Search ..... D14/118, 142, 144, 151; D18/36, 37; 358/256, 286**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 262,967 2/1982 Fujiyama et al. .... D14/118  
D. 272,625 2/1984 Suzuki et al. .... D14/118  
D. 292,976 12/1987 Kando ..... D14/118  
D. 300,137 3/1989 Kando ..... D14/118  
D. 300,138 3/1989 Nishio ..... D14/118

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Antonelli, Terry & Wands

[57] **CLAIM**

The ornamental design for a facsimile transceiver, as shown.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a facsimile transceiver showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a left side elevational view thereof; FIG. 5 is a right side elevational view thereof; FIG. 6 is a rear elevational view thereof; and FIG. 7 is a bottom plan view thereof;




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7

