

United States Patent [19]

Sugiyama et al.

[11] Patent Number: **Des. 304,729**

[45] Date of Patent: **** Nov. 21, 1989**

[54] CAMERA

4,406,533 9/1983 Yamamoto 354/288

[75] Inventors: **Yoshiaki Sugiyama, Zushi; Yoichi Tosaka; Shosuke Haraguchi**, both of Yokohama, all of Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **35,708**

[22] Filed: **Apr. 8, 1987**

[30] Foreign Application Priority Data

Oct. 14, 1986 [JP] Japan 61-40846

[52] U.S. Cl. **D16/217**

[58] Field of Search D16/200, 216, 217; 354/126, 127.11, 149.1, 149.11, 202, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 284,287 6/1986 Kato D16/217
D. 296,214 6/1988 Suyama et al. D16/209
D. 296,561 7/1988 Colani et al. D16/6

OTHER PUBLICATIONS

35 mm. Photography, July, 1985, pp. 57-59 (Pertox).
Modern Photography, Jul. 1986, pp. 52-53, (Canon T90).

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

