

[54] **CORNER LIGHTING FIXTURE**

2,118,749 5/1938 Weaver 362/432 X
4,352,151 9/1982 Lewis 362/147 X

[76] **Inventor: Reynolds K. Ohai, 8135 Pinositas Rd., Whittier, Calif. 90605**

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Edgar W. Averill, Jr.

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 35,148**

The ornamental design for a corner lighting fixture, as shown and described.

[22] **Filed: Apr. 6, 1987**

[52] **U.S. Cl. D26/85; D26/91**

[58] **Field of Search D26/72, 80-92; 362/806, 404-408, 432, 147, 351, 360**

DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 97,583 11/1935 Naftalin D26/86
- D. 146,975 6/1947 Lerman D26/85
- D. 164,395 8/1951 Williams D26/85
- D. 285,488 9/1986 Russell D26/86

FIG. 1 is a top front perspective view of a corner lighting fixture showing my new design;
FIG. 2 is a right side elevation thereof.
FIG. 3 is a top plan view thereof.
FIG. 4 is a bottom plan view thereof.
FIG. 5 is a left side elevation view thereof.
FIG. 6 is a rear elevation view thereof.
The interior lamps and brackets are shown in broken lines in FIGS. 1, 3 and 4 for illustrative purposes only.




FIG. 1.




FIG. 3.




FIG. 2.





FIG. 4.






FIG. 5.




FIG. 6.