# United States Patent [19]

# Hinrichsen

[11] Patent Number: Des. 304,919 [45] Date of Patent: \*\* Dec. 5, 1989

[54]	TIRE FOR	VEHICLE
[75]	Inventor:	Silvana Hinrichsen, Rome, Italy
[73]	Assignee:	Bridgestone/Firestone, Inc., Akron, Ohio
[**]	Term:	14 Years
[21]	Appl. No.:	71,497
[22]	Filed:	Jul. 9, 1987
[30] Foreign Application Priority Data		
Feb. 12, 1987 [IT] Italy 52993/87[U]		
[52] U.S. Cl D12/147		
[58]	Field of Search	
D12/140, 136; 152/209 R, 209 B, 209 D		
[56] References Cited		
U.S. PATENT DOCUMENTS		
D.	283,809 5/1	985 Kojima et al

#### FOREIGN PATENT DOCUMENTS

0151966 8/1985 European Pat. Off. .

### OTHER PUBLICATIONS

Tire Review, 6/86, p. 14, Yokohama AVS Wet Tire, bottom left center of page.

1985 Tread Design Guide, p. 51, Nitto NT-255 Tire, third row down from top, left side of page.

1986 Tread Design Guide, Firestone S660, p. 37, fourth row, second from the left.

1986 Tread Design Guide, National-1002, p. 255, first row, first from the left.

Primary Examiner—James M. Gandy Attorney, Agent, or Firm—Ernst H. Ruf


[57] CLAIM

The ornamental design for a tire for vehicle, as shown and described.

## **DESCRIPTION**

FIG. 1 is a perspective view of a tire embodying my new design, it being understood that the pattern is repeated throughout the circumference of the tire, the opposite side being substantially the same as that shown. FIG. 2 is a front elevational view thereof.

FIG. 3 is a side elevational view thereof.






FIG. I

Dec. 5, 1989




FIG. 2




FIG. 3