

United States Patent [19]

Hongo et al.

[11] Patent Number: **Des. 304,930**

[45] Date of Patent: **** Dec. 5, 1989**

[54] **PORTABLE DATA INPUT TERMINAL**

[75] Inventors: **Miyoji Hongo; Katsumi Yonetsu,**
both of Tokyo, Japan

[73] Assignee: **Seiko Instruments & Electronics Ltd.,**
Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **845,069**

[22] Filed: **Mar. 19, 1986**

[30] **Foreign Application Priority Data**

Sep. 19, 1985 [JP] Japan 60-39449

[52] U.S. Cl. **D14/100; D18/7**

[58] Field of Search **D14/100, 101, 105, 106,**
D14/107, 114, 115; D18/7; D13/12, 40, 41;
340/365 R, 700, 711; 364/900, 708, 709

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 256,924 9/1980 Ohie et al. D18/7 X
D. 258,892 4/1981 Ohie et al. D18/7
D. 274,798 7/1984 O'Hara et al. D14/106

3,940,758 2/1976 Margolin 340/365 R X
4,120,039 10/1978 Fischer 364/709 X
4,517,660 5/1985 Fushimoto et al. 364/709 X

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a portable data input device, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a portable data input terminal in a folded, closed state showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a front, right perspective view thereof;

FIG. 8 is a front elevational view of the portable data input device of FIG. 1 in an unfolded, open state; and

FIG. 9 is a front, right perspective view of the data input device of FIG. 8.




FIG. 3




FIG. 1




FIG. 4




FIG. 2




FIG. 6



FIG. 5



FIG. 7




FIG. 8




FIG. 9

