

[54] PROCESSOR FOR MAGNETIC IMAGE DATA FROM A STILL VIDEO CAMERA

[75] Inventor: Kazuaki Sakuta, Koganei, Japan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 16,862

[22] Filed: Feb. 20, 1987

[30] Foreign Application Priority Data

Aug. 25, 1986 [JP] Japan 61-33038

[52] U.S. Cl. D14/109

[58] Field of Search D14/100, 105, 107, 111, D14/114, 116; D16/1, 2, 27, 28, 29, 30, 31, 32; D18/12, 22, 23; 354/80, 81, 82; 355/1, 7, 8, 14 SH, 19, 45, 46, 47; 235/475, 479, 440, 454, 462, 470, 471, 472, 473, 483, 484, 486; 250/203 R, 216, 566, 568; 382/58, 62, 63, 65, 66, 67, 68; 358/285, 286, 256, 292, 293, 294; 364/706-710, 130, 144, 189; 340/700, 711, 712, 706

[56] References Cited

U.S. PATENT DOCUMENTS

D. 287,726 1/1987 Itoh et al. D14/109

D. 296,102 6/1988 Konshak D14/109 X

D. 296,898 7/1988 Hara D14/109

Primary Examiner—Susan J. Lucas

Assistant Examiner—Freda Selma-Nunn

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a processor for magnetic image data from a still video camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a processor for magnetic image data from a still video camera for still image showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and

FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

