

United States Patent [19]

Ogawa et al.

[11] Patent Number: **Des. 304,946**

[45] Date of Patent: **** Dec. 5, 1989**

[54] **TRANSMITTER AND RECEIVER FOR MICROWAVE COMMUNICATIONS**

[75] Inventors: **Shigeo Ogawa; Yoshio Minowa**, both of Tokyo, Japan

[73] Assignee: **NEC Corporation**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **278,310**

[22] Filed: **Nov. 30, 1988**

[30] **Foreign Application Priority Data**

May 30, 1988 [JP] Japan 63-21467

[52] U.S. Cl. **D14/231; D14/230**

[58] Field of Search **D14/230-238;**
343/720, 721, 730, 741, 746, 747, 748, 805, 806,
815, 820, 872, 873, 907, 908, 909

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 212,849 12/1968 Miller D14/230
D. 283,129 3/1986 Fourcher et al. D14/230

D. 288,202 2/1987 Fuhrman et al. D14/230
D. 288,322 2/1987 Goodman et al. D14/230
D. 293,573 1/1988 Nakayama D14/231
D. 293,575 1/1988 Sugiura D14/230

Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for a transmitter and receiver for microwave communications, as shown.

DESCRIPTION

FIG. 1 is a right side elevational view of a transmitter and receiver for microwave communications showing our new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a rear elevational view thereof;

FIG. 6 is a bottom plan view thereof; and

FIG. 7 is a rear, top and right side perspective view thereof.




FIG. 2




FIG. 4




FIG. 1




FIG. 3




FIG. 5





FIG. 6

FIG. 7

