

[54] BELT TYPE ABRADING MACHINE

[76] Inventor: Richard W. Fuchs, 17 Deerfield La.,
Simsbury, Conn. 06070

[**] Term: 14 Years

[21] Appl. No.: 36,276

[22] Filed: Apr. 9, 1987

[52] U.S. Cl. D15/124; D15/125

[58] Field of Search D15/124, 125, 126;
D8/62, 90; 51/135 BT, 135 R, 170 EB, 137

[56] References Cited

U.S. PATENT DOCUMENTS

D. 193,102	6/1962	DeGroff	D8/62
D. 298,508	11/1988	Fukuda et al.	D8/62
2,232,149	2/1941	Tautz	51/135 R
3,605,343	9/1971	Knecht	51/135 R
4,294,044	10/1981	Hansen	51/135 BT

OTHER PUBLICATIONS

Colex Catalog, Dated 9/1985, p. 49, Enco Combination Sander/Grinder.


Primary Examiner—Bruce W. Dunkins
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—McCormick, Paulding & Huber

[57] CLAIM

The ornamental design for a belt type abrading machine, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a belt type abrading machine showing my new design; FIG. 2 is a right side elevational view; FIG. 3 is a left side elevational view; FIG. 4 is a front elevational view; FIG. 5 is a rear elevational view; FIG. 6 is a top plan view; and FIG. 7 is a bottom plan view.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7