

# United States Patent [19]

Lippman

[11] Patent Number: **Des. 305,127**

[45] Date of Patent: **\*\* Dec. 19, 1989**

[54] PAD FOR A HEAT SEAL MACHINE

4,058,055 11/1977 Douglas ..... 156/583.9 X  
4,243,470 1/1981 Higashiguchi ..... 156/583.9

[75] Inventor: Peter R. Lippman, Bedford Hills,  
N.Y.

[73] Assignee: Penn Emblem Co., Philadelphia, Pa.

[\*\*] Term: 14 Years

[21] Appl. No.: 41,792

[22] Filed: Apr. 23, 1987

[52] U.S. Cl. .... D15/146

[58] Field of Search ..... D15/146; 156/583.1,  
156/583.7, 583.8, 583.9, 579; 100/92

[56] **References Cited**

## U.S. PATENT DOCUMENTS

3,236,174 2/1966 Hutchinson et al. .... 156/579 X  
3,350,253 10/1967 Goodhart ..... 156/579 X  
3,823,054 7/1974 Balzer et al. .... 156/583.9 X


*Primary Examiner*—Bruce W. Dunkins  
*Assistant Examiner*—Jeffrey Asch  
*Attorney, Agent, or Firm*—Panitch Schwarze Jacobs &  
Nadel

[57] **CLAIM**

The ornamental design of a pad for a heat seal machine,  
as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of a pad for a heat seal machine showing my new design;  
FIG. 2 is a right side elevational view;  
FIG. 3 is a left side elevational view;  
FIG. 4 is a front elevational view;  
FIG. 5 is a top plan view;  
FIG. 6 is a rear elevational view; and  
FIG. 7 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3

FIG. 4





FIG. 5

FIG. 6





FIG. 7