

[54] RADIO PAGER

[75] Inventor: Isamu Sekine, Kawagoe, Japan

[73] Assignee: Kokusai Denki Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 117,641

[22] Filed: Nov. 4, 1987

[30] Foreign Application Priority Data

May 19, 1987 [JP] Japan 62-19358

[52] U.S. Cl. D14/191

[58] Field of Search D14/155, 168, 188, 189, D14/191, 192, 197, 198, 225, 226; 455/92, 100, 128, 351; 340/311.1

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 276,158 10/1984 Lee et al. D14/192
- D. 281,600 12/1985 Claxton et al. D14/191
- D. 284,472 7/1986 Nakatani et al. D14/191
- D. 285,559 9/1986 Toth et al. D14/191

- D. 290,608 6/1987 Fisher D14/191
- D. 300,529 4/1989 Kobayashi D14/198

OTHER PUBLICATIONS

HFD, 11/04/85, p. 211, bottom right.


Primary Examiner—Bernard Ansher
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Robert E. Burns; Emmanuel J. Lobato

[57] CLAIM

The ornamental design of a radio pager, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a radio pager showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a rear elevational view thereof;
FIG. 7 is a top, front and right side perspective view thereof, and
FIG. 8 is a rear, bottom and left side perspective view thereof.






FIG. 2




FIG. 1




FIG. 3



FIG. 4




FIG. 6



FIG. 5

FIG. 7





FIG. 8