

[54] COMBINED RESCUE DOOR STOP AND STRIKER PLATE

3,946,460 3/1976 Johnson 16/82
4,765,662 8/1988 Suska 292/DIG. 65

[75] Inventor: Larry K. Johnson, Sterling, Ill.

Primary Examiner—B. J. Bullock
Attorney, Agent, or Firm—Richard A. Giangiorgi

[73] Assignee: Lawrence Brothers, Inc., Sterling, Ill.

[57] CLAIM

[**] Term: 14 Years

The ornamental design for a combined rescue door stop and striker plate, as shown and described.

[21] Appl. No.: 10,315

DESCRIPTION

[22] Filed: Feb. 3, 1987

[52] U.S. Cl. D8/402; D8/344

[58] Field of Search D8/344, 345, 402;
292/341.17, 341.18, DIG. 61, DIG. 19, 341.15,
341.16, 228, DIG. 65; 16/82; 49/141

FIG. 1 is a front elevational view of a combined rescue door stop and striker plate, showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a front elevational view of a second embodiment of the design of FIG. 1;
FIG. 7 is a top plan view of FIG. 6;
FIG. 8 is a rear elevational view of FIG. 6;
FIG. 9 is a left side elevational view of FIG. 6;
FIG. 10 is a right side elevational view of FIG. 6.

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 238,852 2/1976 Johnson D8/402
- D. 261,225 10/1981 Sterling D8/344
- D. 273,937 5/1984 Ruff D8/344
- 3,862,774 1/1975 Johnson 292/228




FIG. 1




FIG. 4




FIG. 2




FIG. 5




FIG. 3




FIG. 6




FIG. 9




FIG. 7




FIG. 10




FIG. 8

