

United States Patent [19]

Doi

[11] Patent Number: **Des. 305,426**

[45] Date of Patent: **** Jan. 9, 1990**

[54] **PORTABLE STILL VIDEO TRANSMITTER**

[75] Inventor: **Susumu Doi, Yokohama, Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **110,499**

[22] Filed: **Oct. 20, 1987**

[30] **Foreign Application Priority Data**

Apr. 27, 1987 [JP] Japan 62-16687

[52] U.S. Cl. **D14/124; D14/118**

[58] Field of Search **D14/118, 142, 144, 151, D14/188, 124, 125, 157, 159, 217, 257, 258; D18/36, 37; 358/256, 286, 335, 298; D13/12, 35, 40, 41, 99**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 210,290 2/1968 Kigoshi D14/157
D. 269,434 6/1983 Nagele D14/258

D. 278,430 5/1985 van de Poel D14/157
D. 284,081 6/1986 Taylor D14/257
D. 292,586 11/1987 George et al. D14/188
D. 297,139 8/1988 Lee D14/125

Primary Examiner—B. J. Bullock
Assistant Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a portable still video transmitter, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a portable still video transmitter showing my new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and FIG. 7 is a top, front and left side perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

