

[54] **COMBINED ATHLETIC SHOE UPPER AND SOLE PERIPHERY**

[75] **Inventor: Lin Yung-Mao, Taichung, Taiwan**

[73] **Assignee: Autry Industries, Inc., Dallas, Tex.**

[**] **Term: 14 Years**

[21] **Appl. No.: 11,133**

[22] **Filed: Feb. 5, 1987**

[52] **U.S. Cl. D2/314; D2/310**

[58] **Field of Search D2/264, 265, 268, 269, D2/271, 272, 282-284, 286-293, 300-303, 307-314; 36/11, 45, 83, 84, 102, 103, 106, 112-114, 132, 136**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 106,763 11/1937 Gilbert D2/289
- D. 152,209 12/1948 Page D2/308

D. 290,181 6/1987 Autry D2/309

OTHER PUBLICATIONS

Boot & Shoe Recorder, 4/1972, p. 17—Sneaker at bottom center.

Primary Examiner—Louis S. Zarfaz
Attorney, Agent, or Firm—Baker, Mills & Glast

[57] **CLAIM**

The ornamental design for combined athletic shoe upper and sole periphery, as shown and described.

DESCRIPTION

FIG. 1 is a front top right perspective view of a combined athletic shoe upper and sole periphery showing my new design;

FIG. 2 is a front elevational view;

FIG. 3 is a left side elevational view;

FIG. 4 is a rear elevational view;

FIG. 5 is a right side elevational view; and

FIG. 6 is a top plan view.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6